

Wyke House, Wyke Works, Hedon Road, Hull, E. Yorkshire, HU9 5NL
Tel: (01482) 714891

Certificate of Analysis

Date Issued	30 Sep 2026
Reference	MAS 263847

Product Name:	Electrolytes – Watermelon
Product Code:	N/A
Batch Number:	DLY8880804
Date Received:	15 Sep 2026
Name of Customer:	Made By Daily
PQS (if applicable):	N/A

Results		
Test Procedure	Result	Acceptance Criteria (limits)
Arsenic	<0.01	<1.0mg/Kg
Cadmium	<0.01	<1.0mg/Kg
Mercury	<0.01	<0.1mg/Kg
Lead	<0.01	<3.0mg/Kg
Potassium	1009	L/C: 1000mg/6g serving
Magnesium	120	L/C: 100mg/6g serving
Calcium	115	L/C: 100mg/6g serving
Sodium	117	L/C: 100mg/6g serving

Conclusions	
Date test performed / finalized:	30 Sep 2026
Name of Head of Laboratory / Authorized Person:	Martin Barnard BSc.
<i>This Certificate is Electronically Approved</i>	
<i>This CoA or any portion thereof, cannot be reproduced without the authorization of the laboratory.</i>	

QMS Section:	Documentation	Title:	Certificate of Analysis	Reference:	FRM-332
Prepared by:	Charlotte Pryor	Signature:	See Master Copy	Date:	08 Dec 2023
Approved by:	Christina Perry	Signature:	See Master Copy	Date:	08 Dec 2023
Date:	08 Dec 2023	Issue:	7	Page:	1 of 1

Wyke House, Wyke Works, Hedon Road, Hull, E. Yorkshire, HU9 5NL
Tel: (01482) 714891

Certificate of Analysis

Date Issued	30 Sep 2026
Reference	MAS 263844 v.2

Product Name:	Electrolytes – Wild Strawberry
Product Code:	N/A
Batch Number:	DLY8880801
Date Received:	15 Sep 2026
Name of Customer:	Made By Daily
PQS (if applicable):	N/A

Results		
Test Procedure	Result	Acceptance Criteria (limits)
Arsenic	<0.01	<1.0mg/Kg
Cadmium	<0.01	<1.0mg/Kg
Mercury	<0.01	<0.1mg/Kg
Lead	<0.01	<3.0mg/Kg
Potassium	1069	L/C: 1000mg/6g serving
Magnesium	111	L/C: 100mg/6g serving
Calcium	136	L/C: 100mg/6g serving
Sodium	129	L/C: 100mg/6g serving

Conclusions	
Date test performed / finalized:	30 Sep 2026
Name of Head of Laboratory / Authorized Person:	Martin Barnard BSc.
<i>This Certificate is Electronically Approved</i>	
<i>This CoA or any portion thereof, cannot be reproduced without the authorization of the laboratory.</i>	

QMS Section:	Documentation	Title:	Certificate of Analysis	Reference:	FRM-332
Prepared by:	Charlotte Pryor	Signature:	See Master Copy	Date:	08 Dec 2023
Approved by:	Christina Perry	Signature:	See Master Copy	Date:	08 Dec 2023
Date:	08 Dec 2023	Issue:	7	Page:	1 of 1

Wyke House, Wyke Works, Hedon Road, Hull, E. Yorkshire, HU9 5NL
Tel: (01482) 714891

Certificate of Analysis

Date Issued	30 Sep 2026
Reference	MAS 263845

Product Name:	Electrolytes – Pineapple
Product Code:	N/A
Batch Number:	DLY8880802
Date Received:	15 Sep 2026
Name of Customer:	Made By Daily
PQS (if applicable):	N/A

Results		
Test Procedure	Result	Acceptance Criteria (limits)
Arsenic	<0.01	<1.0mg/Kg
Cadmium	<0.01	<1.0mg/Kg
Mercury	<0.01	<0.1mg/Kg
Lead	<0.01	<3.0mg/Kg
Potassium	1033	L/C: 1000mg/6g serving
Magnesium	124	L/C: 100mg/6g serving
Calcium	148	L/C: 100mg/6g serving
Sodium	133	L/C: 100mg/6g serving

Conclusions	
Date test performed / finalized:	30 Sep 2026
Name of Head of Laboratory / Authorized Person:	Martin Barnard BSc.
<i>This Certificate is Electronically Approved</i>	
<i>This CoA or any portion thereof, cannot be reproduced without the authorization of the laboratory.</i>	

QMS Section:	Documentation	Title:	Certificate of Analysis	Reference:	FRM-332
Prepared by:	Charlotte Pryor	Signature:	See Master Copy	Date:	08 Dec 2023
Approved by:	Christina Perry	Signature:	See Master Copy	Date:	08 Dec 2023
Date:	08 Dec 2023	Issue:	7	Page:	1 of 1

Wyke House, Wyke Works, Hedon Road, Hull, E. Yorkshire, HU9 5NL
Tel: (01482) 714891

Certificate of Analysis

Date Issued	30 Sep 2026
Reference	MAS 263846 v.2

Product Name:	Electrolytes – Lemon
Product Code:	N/A
Batch Number:	DLY8880803
Date Received:	15 Sep 2026
Name of Customer:	Made By Daily
PQS (if applicable):	N/A

Results		
Test Procedure	Result	Acceptance Criteria (limits)
Arsenic	<0.01	<1.0mg/Kg
Cadmium	<0.01	<1.0mg/Kg
Mercury	<0.01	<0.1mg/Kg
Lead	<0.01	<3.0mg/Kg
Potassium	1051	L/C: 1000mg/6g serving
Magnesium	104	L/C: 100mg/6g serving
Calcium	139	L/C: 100mg/6g serving
Sodium	114	L/C: 100mg/6g serving

Conclusions	
Date test performed / finalized:	30 Sep 2026
Name of Head of Laboratory / Authorized Person:	Martin Barnard BSc.
<i>This Certificate is Electronically Approved</i>	
<i>This CoA or any portion thereof, cannot be reproduced without the authorization of the laboratory.</i>	

QMS Section:	Documentation	Title:	Certificate of Analysis	Reference:	FRM-332
Prepared by:	Charlotte Pryor	Signature:	See Master Copy	Date:	08 Dec 2023
Approved by:	Christina Perry	Signature:	See Master Copy	Date:	08 Dec 2023
Date:	08 Dec 2023	Issue:	7	Page:	1 of 1